



Product Catalog



www.facebook.com/trimaxmowingsystems
www.trimaxmowers.com

Forming valuable enduring partnerships with our Trimax family.

Our belief at Trimax is that our customers are like family, and like family, we look out for each other. If you have a problem that needs solving then we're here to help in any way we can.

Our comprehensive range of commercial mowers has been designed with our family in mind, which means we're building machines that produce the best cut possible whilst ensuring you spend less time and money on maintenance.



Innovators of the mowing industry since 1981.



1981

First production of Ezeemow, Mowcraft and Mulchmasta flail mowers.



1983

Pride, ProCut and Veemow disc mowers and the ProCut S1 rotary roller mowers go into production.



1985

First exports to Australia and a dedicated research and development department.



1991

Stealth S1 released.



1992

First exports to Great Britain. Awarded Best Exporter of the Year.



1993

Topper S1 released. Awarded Exporter of the Year.



1995

First exports to the United States.



1997

Windsor Castle and surrounding grounds start using the Trimax ProCut for their maintenance.



“The birth of Trimax had a lot to do with modern day kiwifruit production, which was pioneered in New Zealand during the 1970’s.

Whilst servicing the horticulture industry, Trimax gained demand for it’s machines in parks and reserves because of the product’s quality of cut and strong build.

We have now grown to be a market leading brand around the world and take pride in knowing and supporting our customers and dealer networks as we work together to drive new mowing innovations.”

Bob Sievwright - Founder and CEO of Trimax Mowing Systems.



1998

The opening of a Trimax distribution warehouse in Great Britain.



2001

The Pegasus S1 is released. First rotary roller mower in the United States for fine turf.



2011

30th Anniversary of Trimax observed.



2014

The Snake is released. A fully dedicated sports turf and municipality mower.




2016

The Stealth S3 is released. The new standard in sports and recreation mowing.



The Trimax Story!





“We believe our service model is one of the best in the industry!”

Sam Warren - Trimax Parts Manager



Genuine Trimax Parts

When you order parts from us you'll be sure to only ever receive genuine Trimax parts for a better performance and a longer life from your machine.



Technical Support


Our team of experienced parts personnel have the knowledge to help you through any problems you may have. Dedicated to providing one of the best customer service models in the industry, you'll be sure to get what you need quickly and efficiently.



Next Day Delivery

We understand the implications of downtime and what that means for your profitability, so where possible we make sure you can receive your orders overnight.

ce



“Gain access to a library of reference material at www.trimaxmowers.com.”



**Register at
My Trimax**



**Access Product &
Spares Information**



**View Training
Videos**



“The cost to operate the mower is very inexpensive. We have owned two other types of finishing mowers and there is NO comparison to the Trimax!”

Lacey Weger - Top Notch Turf



“Productivity went up by 30% and we dropped the need for a second tractor and mower. The spread of clippings is so good we don’t need to go over it with a vacuum and the rollers really help to smooth the ground out and create a table top like effect. The grounds looks great and the Trimax service is Excellent!”

Mike Matuska - Delta Bluegrass Company



“The city of Fresno started using Trimax mowers in 2007. Since then we have purchased 2 Pegasus 493 mowers and a Pegasus 610. Our Trimax mowers have done a fine job and the cut rivals reel mowers without the constant adjustment and maintenance. Support after the sale is great too and parts are always shipped in a timely manner. I highly recommend these mowers to anyone with large areas of turf and desires for a great finished product.”

Doug Rogers - Park Equipment Mechanic Leadworker, City Of Fresno



STRIKER
Rotary Mower

10-11



PROCUT S3
Rotary Mower

12-13



SNAKE
Rotary Mower

14-15



PEGASUS S4
Rotary Mower

16-17



X-WAM
Rotary Mower

18-19



EZEEMOW FX
Flail Mower

20-21



FLAILDEK FX
Flail Mower

22-23



WARLORD S3
Flail Mower

24-25

Trimax has a policy of continuous improvement, therefore models may change without notice.

	Striker 150	Striker 190
Cutting Width	57"	76"
Overall Width	61"	80"
Cut Height Range	3/8" - 4"	3/8" - 4"
Height	32"	32.5"
No. of Blade Spindles	3	4
Approx. Weight	683lb	860lb
Minimum Tractor Size	25hp	35hp
Warranty (Years)	3	3
Application	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> — ● </div> <div style="text-align: center;"> — — ● </div> <div style="text-align: center;"> ● — — ● </div> <div style="text-align: center;"> — — — — ● </div> <div style="text-align: center;"> — — — — — </div> </div> <div style="display: flex; justify-content: space-around; font-size: 8px; margin-top: 5px;"> Municipality Horticulture Agriculture Turf Farm School Lifestyle Racecourse Sports Field Golf Aviation </div>	



Features

3 YEAR WARRANTY

We aim to build mowers that last and we back this up with a 3 year warranty which includes the spindles and gearboxes. Our robust design, coupled with our experienced service and support network, ensures minimum downtime and more productivity.

LOW MAINTENANCE

With only 4 carefully positioned grease points and robust spindles with sealed ball bearings the Trimax Striker has incredibly low maintenance requirements.

SAFETY

Striker exceeds international safety standards and is backed up by our meticulous testing and support network. Striker is a mower that can be used with confidence even when mowing in confined areas.

LAZERBLADEZ™

LazerBladez™ are fitted to enhance the clean cutting ability of the Striker. The tilt-forward design of LazerBladez™, which is unique to Trimax minimizes hang back in tough conditions and the full-length cutting edge ensures that a clean cut is achieved when mowing at high ground speeds. LazerBladez™ are made from a special alloy steel which provides greater durability needed in commercial mowing operations. The combination of more cuts per meter, LazerBladez™ and a unique under-body design ensures an even spread of clippings.

ADVANCED DESIGN

Striker incorporates decades of experience with multi-spindled rotary roller mower. Lighter than other Trimax mowers, it retains the attention to detail that minimizes downtime and makes servicing easy. The cutting system, body integrity and sealed ball bearing spindles have been proven with extensive and rigorous testing.

“The grass was about 5 inches and wet, it went great, made a good even cut leaving an even spread of cut grass, we thought it was the best mower we had ever seen.”

Ian Dufty - Proud owner of a Trimax Striker





Striker

Trimax presentation for compact tractors

Designed for tractors in the 25-45hp range, Striker has Trimax LazerBladez™ fitted as standard for improved grass distribution and less clumping. The full-width front-and-rear rollers produce an attractive striped pattern and guard against scalping for a consistent finish.

Striker is designed to withstand tough conditions. It has variable height adjustment for year round mowing and an enclosed cutting chamber for added safety.

Able to mow quickly at a high standard, Striker is ideal for educational and sports facilities and green spaces where presentation is key.

Ask us how Striker can transform your environment.



ProCut S3

Versatile Trimax cutting performance for commercial environments

The Trimax ProCut S3 is a highly versatile roller mower. This robust machine has been engineered to withstand everyday use in the toughest commercial environments, yet will deliver a reel mower like cut - every time.

ProCut has been a successful part of the Trimax range for nearly 30 years, mowing parks & reserves, school grounds and sports fields throughout the world. The ProCut S3 offers new features, improved performance and is easier to maintain, yet retains many of the aspects that set the original apart from the competition.

Talk to us today about the capabilities of ProCut in your environment.



FITTED WITH **LazerBladez™**





	P3 178	P3 210	P3 237	P3 290
Cutting Width	69"	81"	91"	114"
Overall Width	74"	87"	97"	123"
Height	43"	43"	43"	43"
Cut Height Range	3/8" - 4 1/2"	3/8" - 4 1/2"	3/8" - 4 1/2"	3/8" - 4 1/2"
No. of Blade Spindles	3	3	4	5
Approx. Weight	1,109lb	1,248lb	1,358lb	1,570lb
Minimum Tractor Size	35hp	45hp	55hp	60hp
Warranty (Years)	3	3	3	3
Application				

Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up with a 3 year warranty which includes the spindles and gearboxes. Our robust design, coupled with our experienced service and support network, ensures minimum downtime and more productivity.

MULTIPLE SPINDLES

Over the past 30 years Trimax has mastered the art of high performance multi-spindle mowers. ProCut S3 spindles have smaller diameter blades that give more cuts per meter, clean cutting at high ground speeds. This adds up to better productivity and an exceptional finish.

LAZERBLADEZ™

LazerBladez™ are fitted to enhance the clean cutting ability of the ProCut S3. The tilt-forward design of LazerBladez™, which is unique to Trimax, minimizes hang back in tough conditions and the full-length cutting edge ensures that a clean cut is achieved when mowing at high ground speeds. LazerBladez™ are made from a special alloy steel which provides greater durability needed in commercial mowing operations.

FULL WIDTH ROLLERS

Large diameter front and rear rollers on the ProCut S3 follow contours and supports the mower across its entire width, providing excellent anti-scalp protection. The mower decks are able to be hung over kerbs and run across concrete areas with no fear of blade strikes.

Options

QUATTRO BLADE SYSTEM

This system adds 2 more blades to each spindle (2 flat, 2 upturned) for a finer cut on warm season grasses. (Currently unavailable on the 210 model).

Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up by a 3 year warranty which also includes the spindles and gearboxes. Our robust design, coupled with our experienced service and support network, ensure minimum downtime and more productivity.

KERB JUMP

The Kerb Jump, also known as 'Cross Cut', enables all three mower decks to be raised just off the ground without disengaging the PTO. This improves productivity by allowing the mower to traverse gravel driveways or paths and quickly turn at Berms.

ZERO TURN

Continuous cutting while turning for areas such as Berms, tight spaces and around trees.

LAZERBLADEZ™

Snake is fitted with Trimax LazerBladez™, a blade system with a carefully engineered center of gravity and distinctive tilt-forward blade design unique to Trimax. Utilizing the LazerBladez™ full length cutting edge, Snake produces a clean finish even when mowing at high ground speeds. LazerBladez™ are made with high grade alloy steel providing a significant increase in blade and bolt life for added safety and lower operating costs.

FULL WIDTH ROLLERS

Full width rollers minimizes scalping in extreme undulating conditions and allows mowing over kerbsides, bunkers and potholes without blade strike.

UP TO 50HR PTO GREASE

With the use of our new FLEX CONE, we can help prevent dust and external agents getting trapped in the bearings, also minimizing the risk of PTO's coming in contact with the rotating parts of the drives. This greatly reduces the amount of greasing required, extending intervals out to as much as 50 hours.

EFFICIENT TURF ROLLER:

For extra versatility the large diameter rollers also allow the mower to be used as an effective roller without engaging the PTO.

Options

ROADKIT

The road kit option adds mudguards to the wheels and includes LED tail light clusters.


REMOTE UNLOCK

The remote unlock option replaces the standard transport lock release rope with an electric actuator. This is operated by a push-button on the tractor.



“Snake continues to impress! The finished look after that machine makes a pass is almost better than expected. Really thrilled with the machine so far!”

Jason Wiedeman - Cross Timbers Golf Course



	Snake
Cutting Width	127"
Overall Width	133"
Width (transport mode)	81"
Cut Height Range	3/8" - 3 1/2"
Height (transport mode)	73"
No. of Blade Spindles	9
Approx. Weight	2,734lb
Minimum Tractor Size	35hp
Warranty (Years)	3
Application	<input checked="" type="checkbox"/> Municipality <input type="checkbox"/> Horticulture



Snake

3.2m width for compact tractors

Snake is the accumulation of over 30 years of Trimax innovation, engineering and customer insight.

Designed for sports turf and golf courses, Snake has the unique ability to transform a variety of conditions into an even carpet of green.

We've seamlessly combined our world class cut quality and have added articulation capabilities never seen before on a Trimax mower.

Built for agility, and incredibly robust, the Trimax Snake won't fail to impress. Snake owners benefit from a proven 3 year warranty and genuine Trimax support.

Talk to us today about the capabilities of Snake in your environment.





Pegasus S4

The lowest maintenance Pegasus ever

After fifteen years in the market, Pegasus has established itself as the benchmark in wide area mowing applications such as parks, reserves, airports, racetracks, sports fields and turf farms.

Available in 194" and 239" widths, the S4 is our newest version of the exceptionally low-maintenance trailed rotary mower.

Engineered to be the lowest maintenance Pegasus ever, the number of grease points on the S4 have been reduced by 15%. S4 also features our legendary sealed, maintenance-free spindle and now has an incredible 35% less routine maintenance costs.

The development of the Pegasus S4 is a great example of how we push technologies through our entire product range and it will give you rock-solid reliability, strength and performance.

View testimonials of customers who are saving thousands per year on maintenance alone with Pegasus at www.trimaxmowers.com



	G4 493	G4 610			
<i>Cutting Width</i>	194"	239"			
<i>Overall Width</i>	200"	245"			
<i>Transport Mode</i>	98"	98"			
<i>Overall Length</i>	172"	172"			
<i>Cut Height Range</i>	3/8" - 4 1/2"	3/8" - 4 1/2"			
<i>No. of Spindles</i>	9	11			
<i>Approx. Weight</i>	4,850lb	5,291lb			
<i>Minimum PTO Output</i>	65hp	65hp			
<i>Application</i>	●	—			
	Municipality	Agriculture	Turf Farm	School	Lifestyle



Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up by a 3 year warranty which also includes the spindles and gearboxes. Our robust design, coupled with our experienced service and support network, ensure minimum downtime and more productivity.

LOW MAINTENANCE

To ensure optimum efficiency we've reduced the number of grease points by 15% giving you 35% less maintenance costs than the S3. Included on the S4 are SteadFAST Sealed Spindles which completely remove the tedious task of regular greasing.

LAZERBLADEZ™

Trimax's famous LazerBladez™ fling-tip blades are fitted as standard on the Pegasus S4, which help achieve a superior cut finish through an optimised blade thickness and air flow, a carefully engineered centre of gravity and unique 'tilt forward' blade system. LazerBladez™ are much more cost efficient than (reel or) solid beams as only the fling-tip portion of the blade is replaced.

FULL WIDTH ROLLERS

Full width rollers on all decks follow the contours of the ground and provide excellent anti-scalp protection. Rollers also allow mowing along the edge of banks or paths and produce a superb striping effect for those wishing to pattern their turf. Safety is enhanced as rollers contain debris in the cutting chamber.

MAINTENANCE FREE SPINDLES

To ensure optimum efficiency, the Pegasus S4 is fitted with sealed, maintenance free spindles, which removes the need for regular greasing and gives you more time for cutting.

Options

QUATTRO BLADE SYSTEM

This system adds 2 more blades to each spindle (2 flat, 2 upturned) for a finer cut on warm season grasses.

ROLLER SCRAPERS

Trimax Helical scrapers operate with reduced tension but apply constant pressure on the roller to assist with cleaning.

ANTI-BOUNCE SKIDS

Developed to eliminate the 'scalloping' effect when mowing on turf where the ground is not perfectly smooth. Helps to ease the mower over humps between the front and rear rollers.

"The machines are in use 10 hours a day 5-6 days a week. We are very pleased with these mowers; the quality of cut is great and reliability has been outstanding. We've just ordered a 4th Trimax Pegasus to add to the fleet!"

Julian Acton - GMS contractors UK

XWAM 1040

Cutting Width	410"
Overall Width	415"
Transport Mode	108"
Overall Length	229"
Cut Height Range	3/8" - 4 1/2"
No. of Spindles	19
Approx. Weight	10,758lb
Minimum Tractor Size	90hp
Warranty	3

Application	—	—	—	●	—	—	●	—	●	●
	Municipality	Horticulture	Agriculture	Turf Farm	School	Lifestyle	Racecourse	Sports Field	Golf	Aviation



Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up by a 3 year warranty which also includes the spindles and gearboxes. Our robust design, coupled with our experienced service and support network, ensure minimum downtime and more productivity.

LAZERBLADEZ™

X-WAM is fitted with Trimax LazerBladez™, a blade system with a carefully engineered center of gravity and distinctive tilt-forward blade design unique to Trimax. Utilizing the LazerBladez™ full length cutting edge, X-WAM produces a clean finish even when mowing at high ground speeds. LazerBladez™ are made with high grade alloy steel providing a significant increase in blade and bolt life for added safety and lower operating costs.

LOW MAINTENANCE

Ease of maintenance and reliability are engineered into the X-WAM design. All moving surfaces have long life synthetic bushes or greasable bearings. Remote grease points are centralized and raising the mower decks provides unobstructed access to the mower under-body for safe and hassle-free maintenance.

“Trimax X-WAM is great equipment. It replaced one tractor, one employee and reduced mowing time. Less equipment to maintain and less equipment expense has increased our profitability.”

Lynn Gibb - Hope Plantation Turf





X-WAM™

Ultimate wide area mowing when quality counts

The X-WAM has superior contour-following abilities based on the unique combination of individually floating decks and articulated axis. With the potential to cut 33 acres per hour and the ability to perform zero-turns without having to lift any of the mower decks, the X-WAM will increase your productivity using one tractor, one driver, and one mower to cut 2/3 more area with a cylinder-like cut finish.

Talk to us today about the capabilities of X-WAM in your environment.



Ezeemow^{FX}


Trimax flail technology for compact tractors

The new Ezeemow FX is the ideal partner for your compact tractor where versatility and robustness is needed. Ezeemow FX now includes our unique Converter™ system giving you greater mowing versatility from short grass to heavy conditions.

Ezeemow FX can handle fine turf, small prunings and one meter high grass and scrub with minimal maintenance and maximum reliability. This versatility makes the Ezeemow FX ideal for contractors, councils, roadsides, estates, and orchard applications.

Ezeemow FX is compatible with tractors from 20 to 45hp and its compact dimensions allow maneuverability in tight corners.

Talk to us today about Ezeemow FX for your environment.





	EFX 135	EFX 155	EFX 185							
Cutting Width	54"	60"	72"							
Overall Width	61"	68"	81"							
Overall Length	23"	23"	23"							
Cut Height Range	3/8" - 4 1/2"	3/8" - 4 1/2"	3/8" - 4 1/2"							
Approx. Weight	396lb	440lb	496lb							
Minimum Tractor Size	30hp	35hp	45hp							
Warranty	3	3	3							
Application	●	●	●	●	—	—	—	—	—	—
	Municipality	Horticulture	Agriculture	Turf Farm	School	Lifestyle	Racecourse	Sports Field	Golf	Aviation

Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up by a 3 year warranty. Our robust design, coupled with our experienced service and support network, ensure minimum downtime and more productivity.

RUGGED CONSTRUCTION

Well thought out design, high strength materials and robust monocoque construction ensure the Ezeemow can withstand the harshest conditions and the most demanding operators.

SAFETY FIRST

Safety is of paramount importance when mowing in public areas such as parks, schools and roadsides. This is why Trimax has designed the Ezeemow to expel debris in a downward direction behind the mower.

POWER SAVING FLAILS

The aerodynamic shape of Trimax's unique Gamma™ flails means the tractor's power is used for cutting grass or shredding vegetation, not for pumping air. This equates to lower horsepower requirements, allowing this mower to operate in difficult conditions when powered by a compact tractor.

UNIQUE CONVERTER™

When lowered Trimax's unique and patented Converter™ feature exhibits superb short grass cutting ability by creating airflow that lifts the grass before it's cut. For work in heavy environments the Converter™ can be quickly lifted allowing more grass to be processed within the mower to increase productivity.



"I've been mowing 30hrs a week for over 28 years and my Ezeemow still has the same gearbox. It produces a beautiful cut and if I had to, I'd replace it with the exact same model..no two ways about it!"

Steve De Bruin – Grass Cutting Services

	FXU135	FXU155	FXU185
Cutting Width	53"	60"	72"
Overall Width	61"	68"	81"
Overall Length	43"	43"	43"
Cut Height Range	½" - 4"	½" - 4"	½" - 4"
Approx. Weight	463lb	496lb	551lb
Minimum Power	*Specific tractors only		
Hydraulic Drive*	N/A	Optional	N/A
Warranty (Years)	3	3	3
Application			



Features



3 YEAR WARRANTY

We aim to build mowers that last and we back this up with a 3 year warranty. Our robust design, coupled with our experienced service and support network, ensure minimum downtime and more productivity.

UNIQUE CONVERTER™

When lowered Trimax's unique and patented Converter™ feature exhibits superb short grass cutting ability by creating airflow that lifts the grass before it's cut. For work in heavy environments the Converter™ can be quickly lifted allowing more grass to be processed within the mower to increase productivity.

REAR ROLLER

The full width rear roller prevents unsightly scalping and permits the edge of the mower to be run along kerbs and banks without fear of blade strike. The roller also adds to overall safety and produces a brilliant striping effect for those wishing to pattern their turf.

POWER SAVING FLAILS

One of the many secrets of the FlailDek FX's success is the exclusive Trimax Gamma™ flail. Formed from high tensile alloy steel and hardened for long life, the straight cutting edge produces a perfectly even cut. The aerodynamic profile reduces horsepower requirements, yet generates sufficient draft to prevent clogging and lifts the grass for a clean cut. The low power requirement offers a huge advantage, especially in heavy conditions.

Options

Y-FLAILS

Y-flails are available for use in dry and dusty conditions.



Trimax's exclusive Gamma™ Flail offers a perfectly uniform cut with clippings finely chopped and dispersed behind the mower. The aerodynamic design reduces horse power requirements by ensuring that power is used for cutting grass rather than pumping air.



FlailDek^{FX}TM

Trimax flail technology for out front operation

The Trimax FlailDek FX is the standard in out front flail cutting in the USA. It offers a high performance alternative to the standard factory-fitted rotary mowing attachments found on John Deere & Kubota. With the ability to deliver an exceptionally clean cut and disperse clippings safely FlailDek FX is suitable for sports grounds, roadsides, schools, parks and other fine turf applications.

Talk to us today about how the FlailDek FX can keep you mowing consistently in the most demanding environments.





Left Hand Offset Option

Warlord S3™

Heavy duty flail mulcher mower

The all new Warlord S3 with it's hydraulic sideshift operation makes for a powerful working companion in commercial applications. We've designed the Warlord S3 to be safe and reliable for roadside and contracting work and have maintained our robust build which made the S3 the flail choice for hire fleets. With the ability to shred branches up to 3" in diameter and fitted with unique features such as 3 year warranty, pruning guide and an adjustable rear flap, the Warlord S3 is a serious commercial flail mower.

Ask for your demonstration today.





Warlord Pruning Guide



	WS3 175	WS3 205	WS3 235							
<i>Cutting Width</i>	69"	80"	92"							
<i>Overall Width</i>	80"	92"	104"							
<i>Overall Length</i>	41"	41"	41"							
<i>Cut Height Range</i>	3/8" - 4"	3/8" - 4"	3/8" - 4"							
<i>Approx. Weight</i>	1455lb	1653lb	1763lb							
<i>Minimum Power</i>	55hp	65hp	70hp							
<i>Rollers</i>	1	1	1							
<i>Flails per mower</i>	24	28	32							
<i>Application</i>	●	●	●	●	—	—	—	—	—	—
	Municipality	Horticulture	Agriculture	Turf Farm	School	Lifestyle	Racecourse	Sports Field	Golf	Aviation

Features



3 YEAR WARRANTY

We stand behind our products in the most demanding conditions and we are proud to offer Warlord S3 with a market leading 3 year warranty.

HYDRAULIC SIDE SHIFT

The Warlord S3 can be positioned directly behind the tractor or quickly offset by up to 19". This is perfect for transport and for maneuvering around obstacles.

DISCHARGE CONTROL

The coarseness of the mulch is controlled by the height of the rear flap. The finest mulch is produced with the flap in its lowest position. Lifting the flap allows more material to be processed. Controlling the discharge also assists with safety in public spaces. Lifting the flap fully open makes for easier flail servicing.

TACA FLAILS

Taca coated flails add considerable extra life to the flails, particularly effective where hard ground conditions exist and great for use on turf scrap and ribbon removal.

PRUNING GUIDE

The guide helps direct prunings and other foliage in and under the Warlord that would otherwise be too high to fit through the front aperture. It also helps keep debris away from the hydraulic system for protection in challenging environments.

HEAVY DUTY SKIDS

The replaceable skids are ideal for operations where one side of the machine commonly runs on hard terrain.

INTERNAL LINER

A 1/4" replaceable internal liner increases the life of the body, minimizes damage and reduces noise.

Options

HEAVY DUTY ROLLER

Upgrade from the 1/3" thick roller to a 1/2" heavy duty roller for more demanding applications.

LEFT-HAND OFFSET

Warlord can be specified with left-hand offset. See offset graphs on page 26 for configurations.



Our warranty claims are less than 1%

The industry standard is over 2%.
That means we build our mowers tough!
Because of this, we're proud to offer our
3 year warranty on all of our flail mowers.






Offset Graphs



Warlord S3™




Hydraulic Side Shift

Left hand
offsets
available



EzeemowFX™

Fixed
Offset
Available



Please note EzeemowFX is only available in fixed offset positions.



1145 Uniform Road,
Griffin, GA, 30224
phone (sales/admin): 1 800 523 1167
email: info@trimaxmowers.com

Your nearest authorised dealer:

USA4